App F IX 4]

WD2239 B490

192 .

File No 154-24

Previous References
ml-89-21 881-5 (municipal)

Serial Nos 4 + 6

Later references
ml72-25-24

Preserve

GENERAL & REVENUE SECRETARIAT

Serial Nos

Part B for

SUBJECT

APP I III–21

6937

General and Revenue Secretariat — qml File No 154 of 19 24

Serial No

4

From the Chief Engineer Kellyside
No. 13674 dated 4.2.25
States that in the G.O dated 22.5.22 passing orders in regard to excess water charges on palace Buildings; no mention has been made of the New palace Flats and he requests orders if provisionally adopt a reduced scale of @ 12,5000 gallons p.m. for that Building which is now completed

Submd for orders.
HM

PDB 9/4/25 – 9/4/25 – The previous papers on the subject are with the Chief Engineer having been referred to him unofficially & he may perhaps be requested to return the papers with his opinion (Byrne) so that the papers may be proceeded with

8347 15/4

2 Months 3/PCS
1 Dec 17/4
1 Day
2 Months

PDB 14/4.
SW 14 4
PDB

Case written
Two months
14/4

4/
The file No 89-21-5 relating to the excess water charges on the Palace Buildings has obtained to date

NOTE—Contn Sheet

(W)

6332

Rel File No 154 of 19 24

Central and Revenue Secretariat

Serial No

DEWAN'S OFFICE
RECD ON 7 JUN 1925
Reg No 9178

9833
4/6

5) Subd for orders with a draft G.O sanctioning the proposal

PJB 8/5/25 JJK 15.5.25

27 220 hrs 6) Papers submitted to Dewan before issue 28/5

Dewan) Draft approved by Member may issue Pro. Ls. PSB 17.6.25

17/6

Dewan 17/6

The Finance Secretary
Chief Engineer
Secretary P & Debt
President C M C Mysore
Comptroller to Govt
L 9114-18 dated 15-4-24-6-25
Approved the proposal of CMC

6

GENERAL & REVENUE SECRETARIAT
4 JUL 1925
LOCAL SELF GOVT Branch

40667

WD 1212-GPB—1920—22 12 24

No 1367-P.

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 13th April *1925*

GENERAL & REVENUE SECRETARIAT. 6333 - 8 APR. 1925 Local Self Govt Section

JOHN BHORE, Esq, AMICE, Ftc,
Chief Engineer of Mysore,
Bangalore

Mul 1524 — 24 — 4

B. Nagappa, Esq., Bar-at-Law.,
Secretary to Government,
Local and Legislative Departments,
B a n g a l o r e.

SIR,

the Chief Engr on 7/3/25

I have the honour to inform you that in G.O.No.L.6820-6/Ml.89-21-5 dated the 22nd May 1922 passing orders regarding excess water charges on Palace buildings no mention was made of the New Palace offices probably owing to its being incomplete at that time. The building is since completed and it is reported by the President of the Municipality that the building is assessed at Rs 8,000 per annum as rental value. The Huzur Secretary to His Highness the Maharaja of Mysore who was addressed in the matter states that a reduced scale of 125,000 gallons per month may be provisionally adopted for the present- vide copy of No.2844 dated the 16th February 1925 enclosed. I request you to kindly obtain early orders of Government in the matter.

I have the honour to be,
sir,
Your most obedient servant,

J. Bhore 3/4/25
Chief Engineer of Mysore.

£

Letter No.2844 dated the 16th February 1925 from the Huzur Secretary to His Highness the Maharaja of Mysore to the Chief Engineer of Mysore.

With reference to your letter No.10583/1 dated the 24th January 1925 in the matter of free allowance of water to the New Palace offices, I have the honour to state, that as no meter has yet been fixed to the building, the average consumption of water cannot be correctly ascertained. A free allowance of 600,000 gallons per month based on the rental value of the building was entered in the revised list of Palace buildings sent to Government to be adopted for regulating the free supply of water. But in the un-official reference received from the Secretary to Government in September 1924 with M.L.File 148 of 1923, a reduced scale of 125,000 gallons per month as suggested by you in your communication to Government was accepted This quantity may therefore provisionally be adopted for the present.

"True Copy"

M Narasimha Rao

For Chief Engineer of Mysore.

V.N.S.

G R S VI G 34]

SUBJECT

Diary No of letter replied to 6335

Section Rel

File No 154 - 24

Serial No 6

General and Revenue Secretariat

(GS)

Proceedings of the Government of His Highness the Maharaja of Mysore

, *the* *192*

Date of issue 27 6 1925

Signed by Mr [illegible]

Read—

G O No L 6820-6/Rel 89 24 S- dated 22 5 25 passing orders on the excess water charges on palace Buildings

2 Letter No 13674 dated 9.4.25 from the chief Engineer of Belgaum, forwarding for orders Copy of letter No 2544 dated the Order Thereon—No 16 2.25 from the Huzur Secy to H H the Maharajah of Belgaum stating that a reduced Scale of 1,25,000 Gallons per month may be provisionally adopted for the present, for

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette Kannada Part ?

EMM 1926

The New palace Office Building
which whose construction was
Completed subsequent to the
date of the G.O. read above,
and which has been assessed
at Rs 8 000 per annum as
Rental Value by the elbyse
city elmunicipality

Order No L 9114-18

Approved

2 The following shall be inserted
as serial 47 in the Statement B
appended to the G.O read above

47 New palace Office : 125,000

R

List of enclosures

PSB 8/5/4 HJK 9525 L & L Secy to Govt

The Hon'ble Secy to H H

The chief Engr Elbyse

The Secy to Govt PWD.

The Pvt Asst to Min of Elbyse

The Comptroller to Govt

Copied by

Examined by

WD 1869—GPB—1 000 00—21 12 21